


DEPARTMENT OF HAEMATOLOGY													
Test Name	Result	Unit	Bio. Ref. Range	Method									
Sample # : 13 Date : 8/21/2025 ID : C6798402 Depart. : Birth. :  The image shows a haemoglobin electrophoresis gel. The x-axis is labeled with various zones: Cap Bins, Z15, Z14, Z13, Z12, Z11, Z10, Z(A), Z8, Z(F), Z(D), Z(S), Z(E), Z(A2), Z(C), and Z1. The y-axis represents intensity. A large, dark band is visible in the Z(A) zone, labeled 'Hb A'. A smaller, lighter band is visible in the Z(A2) zone, labeled 'Hb A2'. Haemoglobin Electrophoresis <table><thead><tr><th>Name</th><th>%</th><th>Normal Values %</th></tr></thead><tbody><tr><td>Hb A</td><td>97.8</td><td>96.8 - 97.8</td></tr><tr><td>Hb A2</td><td>2.2</td><td>2.2 - 3.2</td></tr></tbody></table> Signature					Name	%	Normal Values %	Hb A	97.8	96.8 - 97.8	Hb A2	2.2	2.2 - 3.2
Name	%	Normal Values %											
Hb A	97.8	96.8 - 97.8											
Hb A2	2.2	2.2 - 3.2											

*** End Of Report ***