
Prisca 5.2.0.13 Date of report : 15/03/2024

Age at sample date Gestational age 12 + 4 Correction factors	Patient data					
Age at sample date Gestational age 12 + 4 Correction factors Fetuses 1 IVF no diabetes Smoker no Origin Asian Biochemical data Parameter Value Corr. MoM PAPP-A 1 mIU/ml 0.34 fb-hCG 92.6 ng/ml 2.25 Risks at sampling date Age risk 1:548 Biochemical T21 risk 1:231 Trisomy 13/18 + NT <1:10000 1:1000 1:1000 1:1000 1:1000 Trisomy 13/18 + NT Age risk 1:448 Cut off 1:10000 1:1000 1:1000 1:1000 Trisomy 13/18 + NT Age risk 1:231 Trisomy 13/18 + NT Age risk	Name	MRS. RACHNA				
Gestational age 12 + 4 Correction factors Fetuses 1 IVF no pregnancies Smoker no Origin Asian Biochemical data Ultrasound data Ultrasound data Parameter Value Corr. MoM PAPP-A 1 mIU/ml 0.34 Method CRL Robinson Corr. Momental T21 risk 1:548 Sicchemical T21 risk 1:548 Sicchemical T21 risk 1:548 Sicchemical T21 risk 1:548 Sicchemical T21 risk 1:348 Sicchemical T21 risk 1:348 Sicchemical T21 risk 1:350 Sicchemical T21 ri	Birthday	25/12/1992				2403027876/NOD
Correction factors Fetuses 1 IVF no diabetes no Origin Asian Previous trisomy 21 no pregnancies no Origin Asian Paper National Paper Nat	Age at sample date	31.2			е	14/03/2024
Fetuses 1 Weight 78 diabetes	Gestational age		12 + 4			
Weight 78 diabetes no Origin Asian Biochemical data Parameter Value Corr. MoM PAPP-A 1 mIU/ml 0.34 Method CRL Robinson Crus for Scan date 11/03/202 Scan date 11/03/	Correction factors					
Smoker no Origin Asian Biochemical data Parameter Value Corr. MoM PAPP-A 1 mIU/ml 0.34 Method CRL Robinson fb-hCG 92.6 ng/ml 2.25 Scan date 11/03/202 Scan date 11/0	Fetuses	1 IVF		no		no
Biochemical data Parameter Value Corr. MoM Gestational age 12 + 1 PAPP-A 1 mIU/ml 0.34 Method CRL Robinson for horizon for horizon for horizon for his calculated risk as a sampling date Risk at sampling date 1:548 Biochemical T21 risk 1:548 Biochemical T21 risk 1:548 Nuchal translucency MoM 0.8 Nuchal translucency Nuchal Taxis Nuchal translucency Nuchal Taxis Nu	Weight	8 diabetes		no	pregnancies	
Parameter Value Corr. MoM PAPP-A 1 mIU/ml 0.34 fb-hCG 92.6 ng/ml 2.25 Risks at sampling date Age risk 1:548 Biochemical T21 risk >1:500 Combined trisomy 21 risk 1:231 Trisomy 13/18 + NT	Smoker	o Origin		Asian		
PAPP-A 1 mIU/ml 0.34 fb-hCG 92.6 ng/ml 2.25 Risks at sampling date Age risk 1:548 Biochemical T21 risk > 1:550 Combined trisomy 21 risk 1:1000 Risk 1:10	Biochemical data			Ultrasound data		
fb-hCG 92.6 ng/ml 2.25 Risks at sampling date Age risk 1:548 Biochemical T21 risk >1:50 Combined trisomy 21 risk 1:231 Trisomy 13/18 + NT Cut off 1:1000 1:250 Cut off 1:10000 1:250 Cut off 1:10000 Cut off 1:100	Parameter Value	Value Corr. MoM		Gestational age		12 + 1
Risks at sampling date Age risk Biochemical T21 risk Combined trisomy 21 risk Trisomy 13/18 + NT Risk 1:201 1:1000 1:250 Cut off 1:1000 1:250 Cut off 1:1000 1:250 Cut off Trisomy 13/18 + NT Cut off 1:1000 1:250 Cut off Trisomy 13/18 + NT Cut off 1:1000 1:250 Cut off Trisomy 13/18 + NT The calculated risk for trisomy 13/18 (with nuchal translucency) is < 1:10000, which represents a low	PAPP-A 1 ml	J/ml	0.34	Method		CRL Robinson
Age risk Biochemical T21 risk Combined trisomy 21 risk 1:231 Trisomy 13/18 + NT Risk 1:10 Risk 1:10 Cut off 1:10000 1:250 Cut off 1:110000 1:1250 Cut off 1:110000 1:110000 1:110000 1:110000 1:110000 1:1110000	fb-hCG 92.6 ng/	92.6 ng/ml 2.25		Scan date		11/03/2024
Biochemical T21 risk						
Combined trisomy 21 risk Trisomy 13/18 + NT Sonographer Qualifications in measuring NT M.I. Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is above the cut off, which indicates an increased risk. After the result of the Trisomy 21 pregnancy and 230 women with a trisomy 21 pregnancy and 230 women with not affected pregnancies. The PAPP-A level is low. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value! The patient combined risk presumes the NT measuremen was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)). The laboratory can not be hold responsible for their impact on the risk assessment! Calculated risks have no diagnostic value!	Age risk	1:548				0.80
Trisomy 13/18 + NT Calculated risk for Trisomy 21 (with nuchal translucency) is above the cut off, which indicates an increased risk. After the result of the Trisomy 21 pregnancy and 230 women with a trisomy 21 pregnancy and 230 women with a trisomy 21 pregnancy and 230 women with a trisomy 21 pregnancy and 230 women with not affected pregnancies. The PAPP-A level is low. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value! Trisomy 13/18 + NT						present
Trisomy 21 The calculated risk for Trisomy 21 (with nuchal translucency) is above the cut off, which indicates an increased risk. After the result of the Trisomy 21 test (with NT) it is expected that among 231 women with the same data, there is one woman with a trisomy 21 pregnancy and 230 women with not affected pregnancies. The PAPP-A level is low. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value! The patient combined risk presumes the NT measuremen was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)). The laboratory can not be hold responsible for their impact on the risk assessment! Calculated risks have no diagnostic value! Trisomy 13/18 + NT The calculated risk for trisomy 13/18 (with nuchal translucency) is < 1:10000, which represents a low	•					DR. TANY CHANDRA
Trisomy 13/18 + NT The calculated risk for Trisomy 21 (with nuchal translucency) is above the cut off, which indicates an increased risk. After the result of the Trisomy 21 test (with NT) it is expected that among 231 women with the same data, there is one woman with a trisomy 21 pregnancy and 230 women with not affected pregnancies. The PAPP-A level is low. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value! The patient combined risk presumes the NT measuremen was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)). The laboratory can not be hold responsible for their impact on the risk assessment! Calculated risks have no diagnostic value!	Trisomy 13/18 + NT <1:10000					
translucency) is above the cut off, which indicates an increased risk. After the result of the Trisomy 21 test (with NT) it is expected that among 231 women with the same data, there is one woman with a trisomy 21 pregnancy and 230 women with not affected pregnancies. The PAPP-A level is low. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value! The patient combined risk presumes the NT measuremen was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)). The laboratory can not be hold responsible for their impact on the risk assessment! Calculated risks have no diagnostic value! Trisomy 13/18 + NT The calculated risk for trisomy 13/18 (with nuchal translucency) is < 1:10000, which represents a low					to deid for Trice	24 (
The calculated risk for trisomy 13/18 (with nuchal translucency) is < 1:10000, which represents a low	1:1000 1:10000 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 Age			translucency) is above the cut off, which indicates an increased risk. After the result of the Trisomy 21 test (with NT) it is expected that among 231 women with the same data, there is one woman with a trisomy 21 pregnancy and 230 women with not affected pregnancies. The PAPP-A level is low. The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that risk calculations are statistical approaches and have no diagnostic value! The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)). The laboratory can not be hold responsible for their impact on the risk assessment! Calculated risks have no		
translucency) is < 1:10000, which represents a low		13/18 (with	Į			
	translucency) is < 1:10000, wh					



below cut off Below Cut Off, but above Age Risk above cut off