



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM

ALLERGY PANEL



Allergy is your body's reaction to things like pollen, animal hair, dust, certain medicines etc. They are usually harmless to others. These things which cause allergic reactions are called allergens.

Allergy Panel Legend

Allergy levels are based on the concentration of specific allergens in your system. Values below **0.35** are considered Normal (N), while values above **0.35** indicate a High (H) allergic reaction



Allergy Inhalants



Pollens & Plants

Test Name	Result	unit	
Acacia Arabica बबूल	1.00	u/L	HIGH
Adhatoda vasica अड़सा	0.10	u/L	NORMAL
Amaranthus spinosus चौलाई	0.32		
Aspergillus fumigatus ए परिजलस Rयू मगेटस	0.32	u/L	NORMAL
Argemone Mexicana पीला धतूरा	0.20	u/L	NORMAL
Artemisia scoparia नागदोना	0.20	u/L	NORMAL
Brassica rapa शलगम	0.24	u/L	NORMAL
Cannabis Sativa भांग	0.31	u/L	NORMAL
Carica Papaya पपीते के पराग	0.34	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Pollens & Plants

Test Name	Result	unit	
Cassia Fistula अमलतास	0.65	u/L	HIGH
Cedrus Deodara देवदार	0.33	u/L	NORMAL
Chenopodium Album बधुआ	0.31	u/L	NORMAL
Cocos Nucifera ना रयल के पराग	0.20	u/L	NORMAL
Dandelion पीले फूल का एक कार का पौधा	0.30	u/L	NORMAL
Cyperus Retunes साग	0.30	u/L	NORMAL
Eucalyptus नील गरी	0.24	u/L	NORMAL
Birch बच	0.32	u/L	NORMAL
Junipers Communis गु गुल	0.25		

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Pollens & Plants

Test Name	Result	unit	
English plantain अं ेजी रोपण	0.14	u/L	NORMAL
Lawsonia inermis महंद के पराग	0.29	u/L	NORMAL
Kegelia pinnate बलम खीरा	0.26	u/L	NORMAL
Mugwort Sagebrush नागदोना	0.20	u/L	NORMAL
Common Ragweed आम रगवेद	0.20	u/L	NORMAL
Phoenix Dactylifera खजूर के पराग	0.31	u/L	NORMAL
Pine देवदार	0.35	u/L	NORMAL
Ricinus Communis अरंडी	0.20	u/L	NORMAL
Suaeda Fruticosa बूई	0.10	u/L	NORMAL



Pollens & Plants

Test Name	Result	unit	
Tea Leaves चाय क प Kयां	0.18	u/L	NORMAL
Typha Anusssstata जंगली पटेरा	0.20	u/L	NORMAL
Xanthium Stermarlu छोटा धतूरा	0.31	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Mold/Fungi

Test Name	Result	unit	
Alternaria Tenuis फफूंद	0.10	u/L	NORMAL
Aspergillus Niger फफूंद	0.18	u/L	NORMAL
Aspergillus tamarii फफूंद	0.31	u/L	NORMAL
Candida Albicans क डडाअि बक स	0.30	u/L	NORMAL
Cenchrus ciliaris अंजन घास	0.24	u/L	NORMAL
Cladosporium herbarum फफूंद	0.31	u/L	NORMAL
Neurospora SPP फफूंद	0.32	u/L	NORMAL
Penicillium chrysogenum फफूंद	0.34	u/L	NORMAL

Feedback

CRL DIAGNOSTICS PVT. LTD.

Plot No. 10, Avtar Enclave, Opposite Metro Pillar No. 227, Paschim Vihar, Rohtak Road, New Delhi-110063

E-mail : info@crlldiagnostics.com web : www.crlldiagnostics.com Phone : + 011-42-78-78-78



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Dusts & Fibres

Test Name	Result	unit	
Bajari Dust बजरी धूल	0.62	u/L	HIGH
Buffalo Dust भस धूल	0.22	u/L	NORMAL
Chalk Powder चाक पाउडर	0.67	u/L	HIGH
Cockroach Dust कॉआच धूल	0.18	u/L	NORMAL
Cotton Fiber कपास धूल	0.34	u/L	NORMAL
Feather Dust पंख धूल	0.16	u/L	NORMAL
Flour Mill Dust आटा चफक धूल	0.31	u/L	NORMAL
Pearl Millet बाजरा	0.16	u/L	NORMAL
Hay Dust घास धूल	0.15	u/L	NORMAL

Feedback

CRL DIAGNOSTICS PVT. LTD.

Plot No. 10, Avtar Enclave, Opposite Metro Pillar No. 227, Paschim Vihar, Rohtak Road, New Delhi-110063

E-mail : info@crlldiagnostics.com web : www.crlldiagnostics.com Phone : + 011-42-78-78-78



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Dusts & Fibres

Test Name	Result	unit	
House Dust घर धूल	0.36	u/L	HIGH
Jowar dust वार धूल	0.89	u/L	HIGH
Jute Dust जूट धूल	0.10	u/L	NORMAL
Paper Dust कागज धूल	0.14	u/L	NORMAL
Sheep Wool भेड़ के बाल	0.44	u/L	HIGH
Rye Grass राई घास	0.30	u/L	NORMAL
Straw Dust सूखी घास	0.10	u/L	NORMAL
Wheat Dust गेहूं धूल	0.32	u/L	NORMAL
Wheat flour गेहूं का आटा	0.32	u/L	NORMAL



Dusts & Fibres

Test Name	Result	unit	
Jeera Dust जीरे क धूल	0.12	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Grasses

Test Name

Result unit

Bermuda Grass घास	0.20 u/L	NORMAL
Cynodon Dactylon 5ब घास	0.20	
Parathenium गाजर घास	0.31 u/L	NORMAL
Imperata Cylindrica घास	0.20 u/L	NORMAL
Timothy Grass टमॉथी ास	0.10 u/L	NORMAL



Animal Danders

Test Name

Result unit

Cow Dander गाय Vसी	0.32 u/L	NORMAL
Cricket झग्गुर	0.20 u/L	NORMAL
Daisy गुलबहार	0.10 u/L	NORMAL
Dog Dander कुके क Vसी	0.10 u/L	NORMAL
Goat Dander बकरी बाला क Vसी	0.32 u/L	NORMAL
Horse Dander घोडा बाला म Vसी	0.25 u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Insects & Misc

Test Name

Result unit

Honey Bee
मधुमक्खी

0.33 u/L

NORMAL

House Fly
मक्खी

0.12 u/L

NORMAL

Mosquito
मच्छर

0.30 u/L

NORMAL

Derm.Pteronyssinus
घुन

0.30 u/L

NORMAL

Insect
कटो

0.32 u/L

NORMAL

Derm Farinae
घुन

0.20 u/L

NORMAL

Allergy Food Veg



Beans & Peas

Test Name

Result unit

Pea
मटर

0.20 u/L

NORMAL

Pigeon pea
अरहर

0.13 u/L

NORMAL

Beans
फलीयां

0.26 u/L

NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Fruiting Vegetables

Test Name	Result	unit	
Eggplant बगन	0.30		
Capsicum शमला मच	0.23	u/L	NORMAL
Tomato टमाटर	0.32	u/L	NORMAL
Cucumbers खीरा	0.13	u/L	NORMAL
Lady Finger भिंडी	0.25	u/L	NORMAL
Chilly मच	0.18	u/L	NORMAL



Leafy Vegetables

Test Name	Result	unit	
Spinach पालक	0.41	u/L	HIGH
Corianders धनिया	0.25	u/L	NORMAL
Celery अजवायन	0.24	u/L	NORMAL
Lettuce सलाद	0.26		

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Root Vegetables

Test Name

Result unit

Carrot
गाजर

0.24 u/L

NORMAL

Radishes
मूली

0.32 u/L

NORMAL

Onion
याज

0.26 u/L



Cauliflowers

Test Name

Result unit

Cauliflowers
फूल गोभी

0.35 u/L

NORMAL



Mushroom

Test Name

Result unit

Mushroom
मशरूम

0.36 u/L

HIGH

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Tropical Fruits

Test Name

Result unit

Papaya
पपीता

0.31 u/L

NORMAL

Melons
खरबूज़ा

0.16

NORMAL

Mango
आम

0.32 u/L

NORMAL

Banana
केला

0.24 u/L

NORMAL

Guavas
अमरुद

0.32 u/L

NORMAL

Coconut
ना रयल

0.20 u/L

NORMAL

Pineapple
अनानास

0.30 u/L

NORMAL



Cabbage

Test Name

Result unit

Cabbage
पका गोभी

0.32 u/L

NORMAL

Feedback



Citrus Fruits

Test Name

Result unit

Orange
संतरा

0.32 u/L

NORMAL

Lemon
नींबू

0.18 u/L

NORMAL



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Berries

Test Name

Result unit

Straw Berry
ऑबेरी

0.12 uL

NORMAL

Grape
अंगूर

0.20 uL

NORMAL



Apple

Test Name

Result unit

Apple
सेब

0.10 uL

NORMAL



Tamarind

Test Name

Result unit

Tamarind
इमली

0.20 uL

NORMAL



Nuts & Seeds

Test Name

Result unit

Areca nut
सुपारी

0.10 uL

NORMAL

Peanut/ground Nut
मूंगफली

0.20 uL

NORMAL

Almond
बादाम

0.31 uL

NORMAL

Walnut
अखरोट

0.30 uL

NORMAL

Cashewnut
काजू

0.60 uL

HIGH

Pistachio
प ता

0.24 uL

NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Dairy & Eggs

Test Name	Result	unit	
Curd दही	0.20	u/L	NORMAL
Butter मक्खन	0.26	u/L	NORMAL
Cheese पनीर	0.24	u/L	NORMAL
Casein कै सइन	0.26	u/L	NORMAL



Grains

Test Name	Result	unit	
Katha क था	0.32	u/L	NORMAL
Soyabean सोयाबीन	0.36	u/L	HIGH
Chana Dal चने क दाल	0.23	u/L	NORMAL
Moong Dal मूंग क दाल	0.35	u/L	NORMAL
Red Lentil मसूर दाल	0.32		
Black Lentils उड़द दाल	0.25	u/L	NORMAL
Rajma राजमा दाल	0.25	u/L	NORMAL
Barley जौ	0.26	u/L	NORMAL
Oat जई	0.32	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Grains

Test Name	Result	unit	
Maize मफका	0.12	u/L	NORMAL
Rice चावल	0.10	u/L	NORMAL



Spices & Add-ons

Test Name	Result	unit	
Clove लाग	0.32	u/L	NORMAL
Cinnamon दालचीनी	0.24	u/L	NORMAL
Aniseed साफ	0.18	u/L	NORMAL
Garlic लहसुन	0.32	u/L	NORMAL
Ginger अदरक	0.18	u/L	NORMAL
Cadmium इलायची	0.31	u/L	NORMAL
Cumin जीरा	0.36	u/L	HIGH
Black Pepper काली मच	0.30	u/L	NORMAL
Salts नमक	0.10	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Spices & Add-ons

Test Name	Result	unit	
Sugar चीनी	0.20	u/L	NORMAL
Coffee कॉफ़े	0.31	u/L	NORMAL
Vinegar सरका	0.20	u/L	NORMAL
Yeast खमीर	0.30	u/L	NORMAL
Jaggery गुड़	0.26	u/L	NORMAL
Mustard सरसा	0.24	u/L	NORMAL
Sunflower सूरजमुखी	0.26	u/L	NORMAL
Nutmeg जायफल	0.32	u/L	NORMAL
Cocoa कोको	0.24	u/L	NORMAL



Spices & Add-ons

Test Name	Result	unit	
Sesame तल	0.33	u/L	NORMAL
Turmeric ह द	0.20	u/L	NORMAL



Chemicals in Air

Test Name	Result	unit	
Tobacco तंबाकू	0.34	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM

Allergy Food Non-veg



Dairy & Eggs

Test Name

Result unit

Egg White

अंडे का सफेद ह सा

0.57 U/L

HIGH



Meat & Seafood

Test Name

Result unit

Chicken

चकन

0.25 U/L

NORMAL

Fish (cod)

कॉड मछली

0.13 U/L

NORMAL

Mutton

मटन

0.32 U/L

NORMAL

Crab

केकड़ा

0.35 U/L

NORMAL

Beef

गाय का मांस

0.25 U/L

NORMAL

Shrimp

झरंगा

0.21 U/L

NORMAL

Allergy Drug

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Medications

Test Name	Result	unit	
Amoxicillin. एमोक्सिसलिन	0.18	u/L	NORMAL
Ampicillin. ऐपिसलिन	0.24	u/L	NORMAL
Cephalosporin सेफालोपोरिन	0.10	u/L	NORMAL
Ciprofloxacin.. सो लॉफ्लेक्सिन	0.32	u/L	NORMAL
Brufen ब्रूफेन	0.32	u/L	NORMAL
Diclofenac.. डिक्लोफेनाक	0.20	u/L	NORMAL
Doxycycline.. डॉक्सीसाइक्लिन	0.12	u/L	NORMAL
Cloxacillin. क्लोक्सिसलिन	0.36	u/L	HIGH
Erythromycin.. एरिथ्रोमाइसिन	0.31	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Medications

Test Name	Result	unit	
Norfloxacin.. नॉरफ्लॉक्से सन	0.10	u/L	NORMAL
Epinephrine.. ए पने फ़िन	0.31	u/L	NORMAL
Procaine.. ोकेन	0.20	u/L	NORMAL
Piroxicam.. पाइरोक्सिकैम	0.16	u/L	NORMAL
Ofloxacin.. ओरलॉक्सा सन	0.20	u/L	NORMAL
Theophylline.. थयो फ लन	0.30	u/L	NORMAL
Streptomycin.. े टोमाइ सन	0.32	u/L	NORMAL
Penicillin पेन स लन	0.30	u/L	NORMAL
Tetracycline.. टे ासाइक्लीन	0.23	u/L	NORMAL



Medications

Test Name	Result	unit	
Trimethoprim.. ाइमेथो म	0.24	u/L	NORMAL

Allergy Contacts

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Contact & Chemical Allergens

Test Name	Result	unit	
Alcohol शराब	0.20	u/L	NORMAL
Cement सीमेंट	0.92	u/L	HIGH
Sulphur सुल्फर	0.25	u/L	NORMAL
Detergent डिटर्जेंट	0.26	u/L	NORMAL
Hair Dye बालों का रंग	0.32	u/L	NORMAL
Latex रबर	0.22	u/L	NORMAL
Leather चमड़ा	0.23	u/L	NORMAL
Lime Stone चूना पत्थर	0.30	u/L	NORMAL
Nickel निकल	0.18	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM



Contact & Chemical Allergens

Test Name	Result	unit	
Paints पेंट	0.22	u/L	NORMAL
Perfume ई	0.32	u/L	NORMAL
Plastic प्लास्टिक	0.38	u/L	HIGH
Polyester पॉलीएस्टर	0.32	u/L	NORMAL
Powder पाउडर	0.14	u/L	NORMAL
Silk रेशम	0.18	u/L	NORMAL
Wood Mix वुड मिक्स	0.10	u/L	NORMAL
Caustic Soda कास्टिक सोडा	0.22	u/L	NORMAL



Dusts & Fibres

Test Name	Result	unit	
Ash राख	0.26	u/L	NORMAL
Nylon Fibre नायलॉन रेशा	0.34	u/L	NORMAL
Yam Fibre रेशा	0.32	u/L	NORMAL



Chemicals in Air

Test Name	Result	unit	
Smoke धुआं	0.34	u/L	NORMAL

Feedback



C1824312

Name

GEETA VERMA

Accession No

MDEL2935477

Basic Info

F | 48

Date of Test

Jul 23, 2025, 09:35 AM

Recommended Action Plan



Carry Emergency Medication

Due to allergies to Acacia Arabica, Chalk Powder, House Dust, Sheep Wool, Bajari Dust, always carry epinephrine auto-injector and antihistamines



Consult with Allergist

Schedule an appointment with an allergist for a comprehensive management plan and potentially immunotherapy options.



Food Challenge Test

Consider a supervised food challenge test for Acacia Arabica to confirm the severity of moderate sensitivity.



Nutrition Consultation

Meet with a dietitian to create a balanced meal plan that safely avoids your allergens while maintaining proper nutrition.

Diet and Lifestyle Tips



Avoid exposure to things you might have an allergic reaction to



In case of an allergic reaction, consult your doctor to find out the right medicines to relieve your symptoms.



Get blood tests like allergen specific IgE test done to find out specific things you might be sensitive to.



There are certain treatments like immunotherapy where you are given mild exposure to allergens and then gradually increase to a point where the reaction isn't that bad.

Feedback